



1. Identification

1.1. Product identifier

Product Identity JET CLEAR H2O CONCRETE SEALER

Alternate Names WATER BASED ACRYLIC, WATER BASED SEALER, WATER BASED

CURE & SEAL CWS-5002-#, GENERIC CLASS: ACRYLIC EMULSION

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name PDQ BULK SEALER

120 CHATHAM ST HAMILTON, ONTARIO, L8P 2B5

Customer Service: 905-525-7192

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 3;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H319 Causes serious eye irritation.





[Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P332+313 If skin/eye irritation persists/occurs: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

[Storage]:

No GHS storage statements.

[Disposal]:

No GHS disposal statements.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ammonia CAS Number: 0007664-41-7	<1%	Flam. Gas 2;H221 Press. Gas;H280 Acute Tox. 3;H331 Skin Corr. 1B;H314 Aquatic Acute 1;H400	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

^[1] Substance classified with a health or environmental hazard.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.





Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. DO NOT INDUCE

VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Overview Effects of overexposure:

Acute:

Eyes: liquid and mist may irritate the eyes. Experienced as excess blinking and tear production. Excess redness and swelling of the conjunctive may occur. Corneal injury is

unlikely.

Skin: no evidence of adverse effect from available information. **Breathing**: no evidence of adverse effects from available information

Swallowing: can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

See section 2 for further details

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂ powder, water spray. Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Burning may produce irritating fumes.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and complete protective clothing (overalls, boots, goggles, etc.) and safety equipment. Evacuate area and fight fire from a safe distance.

Material will not burn until all water has been evaporated off. May boil vigorously or spatter if temperature exceeds boiling point. Dry polymer films are capable of burning.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of Carbon and other toxic gases.\

EXPLOSION DATA:

- SENSITIVITY TO MECHANICAL IMPACT: Not Sensitive
- SENSITIVITY TO STATIC CHARGE: Sensitive

ERG Guide No. ----





6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Remove any sources of ignition and avoid prolonged breathing of vapor when performing any clean up of spills. Ventilate the area.

Absorb the spill by using an inert material (sand, earth, vermiculate, etc.) Transfer the absorbed material into a waste container.

Use water to clean up affected area.

Prevent the product or any wash waters from entering the water systems or sewers. Wear a NIOSH/OSHA approved organic vapor canister respirator. Wear protective clothing such as safety eyewear, overalls, impervious boots, and chemical resistant gloves.

7. Handling and storage

7.1. Precautions for safe handling

Always ground containers when transferring or mixing.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Can react violently with strong oxiding agents, alkalies and acids.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s) No

data available.





8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0007664-41-7	Ammonia	OSHA	TWA 50 ppm (35 mg/m3)
		ACGIH	TWA: 25 ppm STEL: 35 ppm
		NIOSH	TWA: 25 ppm (18 mg/m3) ST 35 ppm (27 mg/m3)
		Supplier	No Established Limit

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended.

Skin Skin contact should be minimized through the use of chemical-resistant gloves and boots,

and suitable protective clothing.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by

the use of local exhaust ventilation and good general extraction. If theses are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure

limits suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance Liquid Odor Mild

Odor thresholdNot determinedpH8.1 @77°F

Melting point / freezing point Freezing Point: 0°C/32°F

Initial boiling point and boiling rangeNot AvailableFlash PointNot Available

Evaporation rate (Ether = 1) (X) Slower Than N-BUTYL ACETATE

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) Not Measured





Vapor Density (X)Heavier Than Air ()Lighter than Air

Specific Gravity 1.03 g/mL @25°C

Solubility in Water Soluble

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Not Measured

Not Measured

Not Measured

Viscosity (cSt)

Not Measured

%Solids (By Weight) 26% Typical %Solids (By Volume 26% Typical

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Sparks and open flames, high heat, direct sunlight. KEEP FROM FREEZING!

10.5. Incompatible materials

Can react violently with strong oxidizing agents, alkalies and acids.

10.6. Hazardous decomposition products

Burning may produce irritating fumes.





11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ammonia - (7664-41-7)	350.00, Rat – Category: 5	4840.00, Rat – Category 5	No data available	2000.00, Rat – Category: NA	2000.00, Rat – Category: NA

Carcinogen Data

our on region buttu					
CAS No.	Ingredient	Source	Value		
0007664-41-7	Ammonia	OSHA	SHA Select Carcinogen: No		
		NTP	NTP Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

Classification	Category	Hazard Description	
Acute toxicity (oral)		Not Applicable	
Acute toxicity (dermal)		Not Applicable	
Acute toxicity (inhalation)		Not Applicable	
Skin corrosion/irritation	2	Causes skin irritation.	
Serious eye damage/irritation	2	Causes serious eye irritation.	
Respiratory sensitization		Not Applicable	
Skin sensitization		Not Applicable	
Germ cell mutagenicity		Not Applicable	
Carcinogenicity		Not Applicable	
Reproductive toxicity		Not Applicable	
STOT-single exposure		Not Applicable	
STOT-single exposure		Not Applicable	
STOT-repeated exposure		Not Applicable	
Aspiration hazard		Not Applicable	





12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	
Ammonia - (7664-41-7)	0.083, Oncorhynchus gorbuscha	0.53, Daphnia magna	Not Available	

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.





14. Transport information

DOT (Domestic Surface

IMO / IMDG (Ocean Transportation)

ICAO/IATA

Transportation)

Not Applicable

Not Regulated

Not Regulated

14.2. UN proper shipping

Not Regulated

Not Regulated

Not Regulated

name

14.3. Transport hazard

DOT Hazard Class: IMDG: 3

Air Class: Not Applicable

class(es)
14.4. Packing group

14.1. UN number

Not Applicable Not Applicable **Sub Class:** Not Applicable Not Applicable

Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

No

Inventory.

US EPA Tier II Hazards Fire:

Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs (lbs):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ammonia (100.00)

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.





Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Ammonia (100.00)

Pennsylvania RTK Substances (>1%):

Ammonia (100.00)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations.

The full text of the phrases appearing in section 3 is:

H221 Flammable Gas

H280 Pressurized Gas

H331 Toxic if Inhaled

H314 Causes severe skin burns and eye damage

H400 Very toxic to aquatic life.

The information contained herein is furnished without warranty of any kind. The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide. Users should make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.

End of Document

Revision Date: 9/14/22